# ON THE GENERATION OF A REGULAR MULTI-INPUT MULTI-OUTPUT TECHNOLOGY USING PARAMETRIC OUTPUT DISTANCE FUNCTIONS

Sergio Perelman Daniel Santin

FUNDACIÓN DE LAS CAJAS DE AHORROS DOCUMENTO DE TRABAJO Nº 217/2005 De conformidad con la base quinta de la convocatoria del Programa de Estímulo a la Investigación, este trabajo ha sido sometido a evaluación externa anónima de especialistas cualificados a fin de contrastar su nivel técnico.

ISBN: 84-89116-07-5

La serie **DOCUMENTOS DE TRABAJO** incluye avances y resultados de investigaciones dentro de los programas de la Fundación de las Cajas de Ahorros.

Las opiniones son responsabilidad de los autores.

On the generation of a regular multi-input multi-output technology using parametric

output distance functions

Sergio Perelman CREPP, Université de Liège

**Daniel Santin** 

Universidad Complutense de Madrid

**Abstract** 

Monte-Carlo experimentation is a well-known approach to test the performance of alternative

methodologies under different hypothesis. In the frontier analysis framework, whatever

parametric or non-parametric methods tested, most experiments have been developed up to now

assuming single output multi-input production functions and data generated using a Cobb-

Douglas technology. The aim of this paper is to show how reliable multi-output multi-input

production data can be generated using a parametric output distance function approach. A

flexible translog technology is used for this purpose that satisfies regularity conditions. Two

meaningful outcomes of this analysis are the identification of a valid range of parameters values

satisfying monotonicity and curvature restrictions and of a rule of thumb to be applied in

empirical studies.

JEL Classification: C14, C15, C24

Keywords: Output distance function; technical efficiency, Monte-Carlo experiments.

Acknowledgments: The authors are grateful to Chris O'Donnell, David Roibás, Luis Orea and

participants in the IX European Workshop on Efficiency and Productivity Analysis held in

Brussels and in the II Congreso de Eficiencia y Productividad (EFIUCO) held in Cordova

(Spain) for their helpful comments and suggestions.

Postal address:

Sergio Perelman, CREPP, Université de Liège

Bd. Du Rectorat 7 (B31), B-4000 Liège, Belgium

Phone: 32 43663098 - Fax: 32 43663106 - E-mail address: sergio.perelman@ulg.ac.be

Daniel Santín, Departamento de Economía Aplicada VI, Universidad Complutense de Madrid

Campus de Somosaguas, 28223 Pozuelo de Alarcón, Madrid, Spain

Phone: 34 913942377 – Fax: 34 913942431 - E-mail address: dsantin@ccee.ucm.es

1

#### 1. Introduction

Most of real-world problems have to deal with multi-output multi-input process. This is especially observed in the public sector where policy makers usually face up to multidimensional decisions and budget trade-offs. In the field of production frontier analysis, a number of non-parametric and parametric methods have been proposed to build best practice frontiers and to measure technical efficiencies across decision making units (DMU). In order to shed light on the properties and on the potential advantages and disadvantages of competing techniques and methodologies to conduct a same task, Monte-Carlo experimentation appears as the *statistical referee* often selected.

Bowlin et al. (1985), Banker et al. (1987), Gong and Sickles (1992), Banker et al. (1993) and Thanassoulis (1993) initiated the tradition comparing non parametric, mainly DEA (Data Envelopment Analysis) vs. parametric frontier performances. In more recent years several Monte-Carlo experiment papers concerned DEA issues: Pedraja-Chaparro et al. (1997) study the benefits of weights restrictions, Ruggiero (1998) and Yu (1998) analyze the introduction of non-discretionary inputs, Zhang and Bartels (1998) investigate the effect of sample size on mean efficiency scores, Holland and Lee (2002) measure the influence of random noise and Steinmann and Simar (2003) assess the comparability of estimated inter-group mean efficiencies. These are only a few examples, the complete list of Monte-Carlo works and experimental designs also includes sensitivity analysis, random noise and inefficiency terms distributions, functional forms, number of replications, and so on.

Our goal is not to present here a complete survey of these studies, nor of their main conclusions, but to make the observation that in our knowledge without exception these studies were performed in a single output multi-input framework and most used a Cobb-Douglas technology to generate the data. Nevertheless, in a seminal paper, Lovell *et al.* (1994) introduced a methodology that allows the estimation of a parametric production function in a multi-output multi-input setting. For this purpose, they used an output distance function and a *translog* technology.

However, if authors performing Monte-Carlo experiments neglected parametric distance functions and, more generally, *translog* technologies in generating testable production data, the reason must be found in the difficulties encountered to impose behavioral regularity conditions, mainly monotonicity and convexity constrains on them. In a recent published paper, O'Donnell and Coelli (2005) addressed this issue and propose a Bayesian approach to impose curvature on distance functions in empirical studies. The aim of this paper is close related with them. We illustrate how reliable data for Monte-Carlo experiments can be generated using parametric distance functions. Using a flexible *translog* technology we derive the sufficient conditions in order to generate data in the case of a simple two-input two-output production function, which maybe straightforward generalized to higher dimensionality problems. Moreover, we identify a valid range of parameters values satisfying regularity conditions and a *rule of thumb*, a data treatment recommendation, to be applied in empirical estimations.

The sections of the paper are organized as follows. Section 2 presents the main well-known properties and characteristics of parametric output distance functions. In Section 3 we review the sufficient conditions for the monotonicity and convexity properties to be fulfil for obtaining a regular and flexible production function. Section 4 illustrates how these conditions can be applied in the two-output two-input setting in order to generate regular data for Monte-Carlo purposes. Section 5 presents the data generation process, step by step and the last section points out the main conclusions and the directions for further research.

#### 2. The translog output distance function

Defining a vector of inputs  $x = (x_1, ..., x_K) \in \Re^{K+}$  and a vector of outputs  $y = (y_1, ..., y_M) \in \Re^{M+}$  the feasible multi-input multi-output production technology can be defined using de output possibility set P(x) which can be produced using the input vector x:

 $P(x) = \{y: x \text{ can produce } y\}$  that is assumed to satisfy the set of axioms depicted in Färe and Primont (1995). This technology can also be defined as the output distance function proposed by Shephard (1970):

$$D_{\Omega}(x, y) = \inf \{ \theta : \theta > 0, (x, y/\theta) \in P(x) \}$$

If  $D_o(x, y) \le 1$  then (x, y) belongs to the production set P(x). In addition  $D_o(x, y) = 1$  if y is located on the outer boundary of the output possibility set. Regularity conditions assume that P(x) is non-decreasing, linearly homogeneous and convex in outputs, and non-decreasing and quasi-convex in inputs.

In order to estimate the distance function in a parametric setting a *translog* functional form is assumed. According with Coelli and Perelman (1999) this specification fulfils a set of desirable characteristics: flexible, easy to derive and allowing the imposition of homogeneity. The *translog* distance function specification herein adopted for the case of *K* inputs and *M* outputs is:

$$\ln D_{0i}(x,y) = \alpha_0 + \sum_{m=1}^{M} \alpha_m \ln y_{mi} + \frac{1}{2} \sum_{m=1}^{M} \sum_{n=1}^{M} \alpha_{mn} \ln y_{mi} \ln y_{ni} + \sum_{k=1}^{K} \beta_k \ln x_{ki}$$
 (1)

$$+\frac{1}{2}\sum_{k=1}^{K}\sum_{l=1}^{K}\beta_{kl}\ln x_{ki}\ln x_{li} + \sum_{k=1}^{K}\sum_{m=1}^{M}\delta_{km}\ln x_{ki}\ln y_{mi}, \quad i=1,2,...,N,$$

where i denotes the i<sup>th</sup> unit (DMU) in the sample. In order to obtain the production frontier surface we set  $D_o(x,y)=1$  which implies  $\ln D_o(x,y)=0$ . The parameters of the above distance function must satisfy a number of restrictions. Symmetry requires:

$$\alpha_{mn} = \alpha_{nm}$$
;  $m, n = 1, 2, ..., M$ , and

$$\beta_{kl} = \beta_{lk}$$
;  $k, l = 1, 2, ..., K$ .

Moreover, linear homogeneity of degree + 1 in outputs can be imposed, in order to fulfil Euler's Theorem, in the following way:

$$\sum_{m=1}^{M} \alpha_m = 1, \sum_{n=1}^{M} \alpha_{mn} = 0, m = 1, 2, ..., M, \text{ and } \sum_{m=1}^{M} \delta_{km} = 0, k = 1, 2, ..., K.$$

This latter restriction indicates that distances with respect to the boundary of the production set are measured by radial expansions. Following Shephard (1970) homogeneity in outputs implies:

$$D_{\Omega}(x, \omega y) = \omega D_{\Omega}(x, y)$$
, for any  $\omega > 0$ ,

and according with Lovell *et al.* (1994) normalizing the output distance function by one of the outputs is equivalent to set  $\omega = 1/y_M$  imposing homogeneity of degree +1, as follows:

$$D_O(x, y/y_M) = D_O(x, y)/y_M$$
.

For unit i, we can rewrite the above expression as:

$$ln(D_{Oi}(x,y)/y_{Mi}) = TL(x_i, y_i/y_{Mi}, \alpha, \beta, \delta), \quad i = 1, 2, ..., N,$$

where

$$TL(x_{i}, y_{i}/y_{Mi}, \alpha, \beta, \delta) = \alpha_{0} + \sum_{m=1}^{M-1} \alpha_{m} \ln(y_{mi}/y_{Mi}) + \frac{1}{2} \sum_{m=1}^{M-1} \sum_{n=1}^{M-1} \alpha_{mn} \ln(y_{mi}/y_{Mi}) \ln(y_{ni}/y_{Mi})$$

$$+\sum_{k=1}^{K}\beta_{k}\ln x_{ki} + \frac{1}{2}\sum_{k=1}^{K}\sum_{l=1}^{K}\beta_{kl}\ln x_{ki}\ln x_{li} + \frac{1}{2}\sum_{k=1}^{K}\sum_{m=1}^{M-1}\delta_{km}\ln x_{ki}\ln(y_{mi}/y_{Mi}). \tag{2}$$

And rearranging terms the function above can be rewritten as follows:

$$-\ln(y_{Mi}) = TL(x_i, y_i/y_{Mi}, \alpha, \beta, \delta) - \ln D_{Oi}(x, y), \quad i = 1, 2, ..., N,$$

where  $-\ln D_{Oi}(x,y)$  corresponds to the radial distance function from the boundary. Hence we can set  $u = -\ln D_{Oi}(x,y)$  and add up a term  $v_i$  capturing for noise to obtain the Battese and Coelli (1988) version of the traditional stochastic frontier model proposed by Aigner, Lovell and Schmidt (1977) and Meeusen and van den Broeck (1977):

$$-ln(y_{Mi}) = TL(x_i, y_i/y_{Mi}, \alpha, \beta, \delta) + \varepsilon_i, \quad \varepsilon_i = v_i + u_i,$$

where  $u=-\ln D_{0i}(x,y)$ , the distance to the boundary set, is a negative random term assumed to be independently distributed as truncations at zero of the  $N(\varphi,\sigma_u^2)$  distribution, and the  $v_i$  term is assumed to be a two-sided random (stochastic) disturbance designated to account for statistical noise and distributed  $iid\ N(0,\sigma_v^2)$ . Both terms are independently distributed  $\sigma_{uv}=0$ .

#### 3. Regularity conditions in a well-behaved output distance function: a review

One serious drawback in applied production studies is that most of times the true technology is completely unknown, especially in service activities like education or health. However, we learn from microeconomic foundations that a *well-behaved* production function must fulfil a number of *smooth* properties. Färe and Primont (1995) provide the general regularity properties for output distance functions: monotonicity (non-decreasing in inputs), convexity and homogeneity of degree +1 in outputs, and non-increasing and quasi-convexity in inputs<sup>1</sup>. These technological constraints rely on economics theory but real circumstances or a legal framework could relax or even do more restrictive these assumptions. Regardless whether or not these properties are always true in real production situations, they impose desirable assumptions for experimental data generation design.

O'Donnell and Coelli (2005) provide the mathematical conditions to fulfil with regularity in an output distance function. Following their work, monotonicity and curvature conditions involve constraints on distance function partial derivatives on equation (1) with respect to inputs:

$$S_k = \frac{\partial \ln D}{\partial \ln x_k} = \beta_k + \sum_{l=1}^K \beta_{kl} \ln x_l + \sum_{m=1}^M \delta_{km} \ln y_m,$$

and with respect to outputs:

$$r_{m} = \frac{\partial \ln D}{\partial \ln y_{m}} = \alpha_{m} + \sum_{n=1}^{M} \alpha_{mn} \ln y_{n} + \sum_{k=1}^{K} \delta_{km} \ln x_{k}.$$

<sup>1</sup> O'Donnell and Coelli (2005, footnote 1) contribute to clarify a typographical error in Färe and Primont (1995).

Monotonicity implies two conditions on distance function partial elasticities. For D to be non-increasing in x it is required that:

$$f_k = \frac{\partial D}{\partial x_k} = \frac{\partial \ln D}{\partial \ln x_k} \frac{D}{x_k} = s_k \frac{D}{x_k} \le 0 \iff s_k \le 0,$$

while for D to be non-decreasing in y it is required that:

$$h_m = \frac{\partial D}{\partial y_m} = \frac{\partial \ln D}{\partial \ln y_m} \frac{D}{y_m} = r_m \frac{D}{y_m} \ge 0 \Leftrightarrow r_m \ge 0.$$

For quasi-convexity in x, it is necessary to evaluate the corresponding bordered Hessian matrix on inputs:

$$F = \begin{bmatrix} 0 & f_1 & \cdots & f_k \\ f_1 & f_{11} & \cdots & f_{1k} \\ \vdots & \vdots & \cdots & \vdots \\ f_k & f_{1k} & \cdots & f_{kk} \end{bmatrix},$$

where 
$$f_{kl} = \frac{\partial^2 D}{\partial x_k \partial x_l} = \frac{\partial f_k}{\partial x_l} = \frac{\partial \left(s_k \frac{D}{x_k}\right)}{\partial x_l} = \left(\beta_{kl} + s_k s_j - \delta_{kl} s_k\right) \left(\frac{D}{x_p x_j}\right)$$
,

with  $\delta_{kl} = 1$  if p = j and 0 otherwise. For D to be quasi-convex on x over the nonnegative orthant (the n-dimensional analogue of the nonnegative quadrant) a sufficient condition implies that all principal minors of F must be negative.

Finally, for convexity in y we evaluate the Hessian matrix on outputs:

$$H = \begin{bmatrix} h_{11} & h_{12} & \cdots & h_{1M} \\ h_{12} & h_{22} & \cdots & h_{2M} \\ \vdots & \vdots & \cdots & \vdots \\ h_{1M} & h_{2M} & \cdots & h_{MM} \end{bmatrix},$$

where 
$$h_{mn} = \frac{\partial^2 D}{\partial y_m \partial y_n} = \frac{\partial h_m}{\partial y_n} = \frac{\partial \left(r_m \frac{D}{y_m}\right)}{\partial y_n} = \left(\alpha_{mn} + r_m r_n - \delta_{mn} r_m\right) \left(\frac{D}{y_m y_n}\right).$$

According with Lau (1978) the function D will be convex in y over the nonnegative orthant if and only if H is positive semi-definite. Thus, D will be convex in y if and only if all the principal minors of H are non-negative.

#### 4. Sufficient conditions to generate regular data in a two-input two-output setting

In this section we are concerned with providing sufficient conditions for the generation of production function data in the simplest two-input two-output case, for which the output distance function can be defined as follows:

$$\ln D_o = \alpha_0 + \alpha_1 \ln y_1 + \alpha_2 \ln y_2 + \frac{1}{2}\alpha_{11}(\ln y_1)^2 + \frac{1}{2}\alpha_{22}(\ln y_2)^2 + \frac{1}{2}\alpha_{12} \ln y_1 \ln y_2 + \frac{1}{2}\alpha_{12} \ln y_1 + \frac{1}{2}\alpha_{$$

$$\frac{1}{2}\alpha_{21}\ln y_2\ln y_1 + \beta_1\ln x_1 + \beta_2\ln x_2 + \frac{1}{2}\beta_{11}(\ln x_1)^2 + \frac{1}{2}\beta_{22}(\ln x_2)^2 + \frac{1}{2}\beta_{12}\ln x_1\ln x_2 + \frac{1}{2}\beta_{12}\ln x_1\ln x_2 + \frac{1}{2}\beta_{12}\ln x_1\ln x_2 + \frac{1}{2}\beta_{12}\ln x_1 + \frac{1}{2}\beta_{12}\ln x_1 + \frac{1}{2}\beta_{12}\ln x_2 + \frac{1}{2}\beta_{12}\ln x_1 + \frac{1}{2}\beta_{12}\ln x_2 +$$

$$\frac{1}{2}\beta_{21}\ln x_2\ln x_1 + \gamma_{11}\ln x_1\ln y_1 + \gamma_{12}\ln x_1\ln y_2 + \gamma_{21}\ln x_2\ln y_1 + \gamma_{11}\ln x_2\ln y_2 \tag{3}$$

For the sake of simplicity we will assume separability between inputs and outputs, restricting all  $\gamma$  parameters to be zero<sup>2</sup>. Moreover, homogeneity of degree + 1 requires:  $\alpha_1 + \alpha_2 = 1$ ,

$$\alpha_{11}+\alpha_{22}+\alpha_{12}+\alpha_{21}=0 \text{ , while symmetry } \alpha_{12}=\alpha_{21} \text{ and } \beta_{12}=\beta_{21}.$$

Then the monotonicity conditions on inputs can be written as follows:

$$s_1 = \frac{\partial \ln D}{\partial \ln x_1} = \beta_1 + \beta_{11} \ln x_1 + \beta_{12} \ln x_2 \le 0,$$

$$s_2 = \frac{\partial \ln D}{\partial \ln x_2} = \beta_2 + \beta_{22} \ln x_2 + \beta_{12} \ln x_1 \le 0,$$

and the monoticity conditions on outputs:

<sup>&</sup>lt;sup>2</sup> This restriction assume that the curvature of the distance function is not affected by changes in the scale. This assumption can be easily relaxed imposing new sufficient conditions between inputs and outputs values.

$$r_1 = \frac{\partial \ln D}{\partial \ln y_1} = \alpha_1 + \alpha_{11} \ln y_1 + \alpha_{12} \ln y_2 \ge 0,$$

$$r_2 = \frac{\partial \ln D}{\partial \ln y_2} = \alpha_2 + \alpha_{22} \ln y_2 + \alpha_{21} \ln y_1 \ge 0.$$

In order to verify  $s_1 \le 0$  and  $s_2 \le 0$  a sufficient condition is to impose the negativity of all inputs parameters  $(\beta_1, \beta_2, \beta_{11}, \beta_{22}, \beta_{12} < 0)$ . Moreover, input values distribution must be restricted to be  $x_i \ge 1$   $(\ln x_i \ge 0)$ , where i = 1, 2 denotes the inputs.

Monotonicity and convexity in outputs must be imposed at the same time. Convexity on outputs over the nonnegative orthant requires that the Hessian matrix in outputs to be positive semi-definite. The two-output Hessian matrix and its components are as follows:

$$H = \begin{bmatrix} h_{11} & h_{12} \\ h_{21} & h_{22} \end{bmatrix},$$

$$h_{12} = \frac{\partial^2 D}{\partial y_1 \partial y_2} = \frac{\partial (r_1 D/y_1)}{\partial y_2} = (\alpha_{12} + r_1 r_2)(D/y_1 y_2),$$

$$h_{21} = \frac{\partial^2 D}{\partial y_2 \partial y_1} = \frac{\partial (r_2 D/y_2)}{\partial y_1} = (\alpha_{21} + r_2 r_1)(D/y_2 y_1),$$

$$h_{11} = \frac{\partial^2 D}{\partial y_1 \partial y_1} = \frac{\partial (r_1 D/y_1)}{\partial y_1} = (\alpha_{11} + r_1 r_1 - r_1)(D/y_1 y_1),$$

$$h_{22} = \frac{\partial^2 D}{\partial y_2 \partial y_2} = \frac{\partial (r_2 D/y_2)}{\partial y_2} = (\alpha_{22} + r_2 r_2 - r_2)(D/y_2 y_2).$$

Accordingly with O'Donnell and Coelli (2005, p. 501), in the case of 2 outputs the Hessian matrix will be positive semidefinite *if and only if*  $\alpha_{11} \ge r_1 r_2 (\le 0.25)$ . To fulfil with these conditions we impose<sup>3</sup>  $\alpha_{11} = 0.25$  and, given the homogeneity condition on outputs,

<sup>&</sup>lt;sup>3</sup> There exist infinite possibilities to impose curvature conditions on outputs through the parameters. We only adopt one of these possibilities at start point in order to illustrate how to perform the data generation process.

 $\alpha_{22}=0.25$  and  $\alpha_{12}=-0.25$ . Once outputs interactions parameters are imposed, we restrict  $r_1; r_2 \ge 0$  dealing with the ratio of outputs and the value of  $\alpha_1$  and  $\alpha_2$ :

$$\alpha_1 + \alpha_2 = 1$$
,  $\alpha_1 \ge 0$ ,  $\alpha_2 \ge 0$ ,  $r_1 r_2 \le 0.25$ 

$$r_1 = \alpha_1 + 0.25 \ln y_1 - 0.25 \ln y_2 \ge 0 \quad \Rightarrow \quad \alpha_1 - 0.25 (\ln y_2 - \ln y_1) \ge 0$$

$$r_2 = \alpha_2 + 0.25 \ln y_2 - 0.25 \ln y_1 \ge 0 \implies \alpha_2 + 0.25 (\ln y_2 - \ln y_1) \ge 0$$
.

These conditions impose on one hand that  $\alpha_1$  and  $\alpha_2$  must belong to the interval [0; 1]. Otherwise the monotonicity condition is broken. Therefore, in order to fulfil monotonicity and convexity the difference between the outputs logarithms is determined by  $\alpha_1$  and  $\alpha_2$ . Whatever  $\alpha_1$  and  $\alpha_2$  values, the imposition of  $\alpha_{11} = 0.25$  forces up that the absolute difference between the logarithms of outputs to be 4 as maximum. To obtain the plausible output interval it is required to assign values for  $\alpha_1$  and  $\alpha_2$  and to calculate the difference of the logarithms of outputs as it shown above. We can illustrate this result with several examples:

1. If 
$$\alpha_1 = 0.50$$
 and  $\alpha_2 = 0.50$ , then  $(\ln y_2 - \ln y_1) \in [-2;2]$ .

2. If 
$$\alpha_1 = 01.00$$
 and  $\alpha_2 = 0.00$ , then  $(\ln y_2 - \ln y_1) \in [0;4]$ .

3. If 
$$\alpha_1 = 0.00$$
 and  $\alpha_2 = 1.00$ , then  $(\ln y_2 - \ln y_1) \in [-4;0]$ .

4. If 
$$\alpha_1 = 0.25$$
 and  $\alpha_2 = 0.75$  then  $(\ln y_2 - \ln y_1) \in [-3;1]$ .

This constraint is meaningful for data generation because this rule imposes that the ratio of outputs must be exogenously defined as  $(\ln y_2 - \ln y_1) \in [a;b]$  being a the lowest value and b the upper one.

Moreover, it is possible to proceed in the other way around. To generate in a first step plausible exogenous output ratio in logarithms  $(\ln y_2 - \ln y_1)$  and in the second step derive the range of valid parameters. For example a [-1.5; 1.5] ratio interval implies that  $\alpha_1$  and  $\alpha_2$  could take any

value between  $\alpha_1 \geq 0.375$  and  $\alpha_2 \leq 0.625$ , given  $\alpha_1 + \alpha_2 = 1$ . At the limit,  $\ln(y_2/y_1) = 0$  corresponding to equal output values allows choosing any non-negative  $\alpha_1$  and  $\alpha_2$  parameter values, given  $\alpha_1 + \alpha_2 = 1$ .

Finally, for quasi-convexity in inputs, we must calculate the input bordered Hessian of equation (3):

$$F_D = \begin{bmatrix} 0 & f_1 & f_2 \\ f_1 & f_{11} & f_{12} \\ f_2 & f_{21} & f_{22} \end{bmatrix}$$

where,

$$f_1 = \frac{\partial D}{\partial x_1} = s_1 (D/x_1),$$

$$f_2 = \frac{\partial D}{\partial x_2} s_2 (D/x_2),$$

$$f_{11} = \frac{\partial^2 D}{\partial x_1 \partial x_1} = (\beta_{11} + s_1 s_1 - s_1)(D/x_1 x_1),$$

$$f_{12} = f_{21} = \frac{\partial^2 D}{\partial x_1 \partial x_2} = (\beta_{12} + s_1 s_2)(D/x_1 x_2),$$

$$f_{22} = \frac{\partial^2 D}{\partial x_2 \partial x_2} = (\beta_{22} + s_2 s_2 - s_2)(D/x_2 x_2).$$

For D to be quasi-convex in x over the non-negative orthant a sufficient condition is that all principal minors of F were negative. This can be done restricting  $s_1$ ;  $s_2 \le 0$ , which can be satisfied imposing all beta parameters to be negative. Therefore, the first principal minor  $|F_1| = -f_1^2$  will be by construction always negative. And the second principal minor must be negative as well:

$$\left|F_{2}\right|=f_{1}f_{12}f_{2}-f_{1}f_{1}f_{22}+f_{2}f_{1}f_{21}-f_{2}f_{11}f_{2}=2f_{1}f_{2}f_{12}-f_{1}^{2}f_{22}-f_{2}^{2}f_{11}<0\,,$$

which is equivalent to:

$$2s_1s_2\frac{D^3}{x_1^2x_2^2}\big(\beta_{12}+s_1s_2\big)-s_1^2\frac{D^3}{x_1^2x_2^2}\big(\beta_{22}+s_2^2-s_2\big)-s_2^2\frac{D^3}{x_1^2x_2^2}\big(\beta_{11}+s_1^2-s_1\big)<0\,.$$

Operating this expression and multiplying by -1 to change the sign of the inequality, and for better understanding, we obtain:

$$\beta_{22}s_1^2 - s_2s_1^2 + \beta_{11}s_2^2 - s_1s_2^2 - 2\beta_{12}s_1s_2 > 0$$

In this expression all terms with a negative coefficient as well as the  $-2\beta_{12}s_1s_2$  term are positive. Therefore it is easy to show that a sufficient condition is that all inputs logarithms values were greater than zero (input values greater or equal to one). In such a case  $s_2 < \beta_{22}$  and  $s_1 < \beta_{11}$ , so positive values always compensate negative ones, and second principal minor will satisfy the negativity constraint.

#### 5. Steps in experimental design to generate regular data

To carry out the experimental design, and once we define  $\alpha_{11}=0.25$  the first step is the selection of the meaningful distribution ratio of outputs  $y_2/y_1$ , and its logarithm. As we have pointed out before this exogenous ratio must fulfils that  $\ln(y_2/y_1) = (\ln y_2 - \ln y_1) \in [a;b]$ , where  $|a-b| \le 4$ . An extreme difference of 4 will impose the range of valid  $\alpha_1$  and  $\alpha_2$  values. In second step, a distribution of distance function values has to be defined into the interval  $[1;\infty]$ . Efficient units will receive D=1 ( $\ln D=0$ ) and the remaining will receive a value according with a distributional assumption. Third step consist in generating a distribution for the random noise v, for example through a  $N(0,\sigma_v^2)$  distribution. Fourth, we generate an input distribution with the only restriction that  $x_i \ge 1$  ( $\ln x_i \ge 0$ ), where i=1,2 denotes the inputs. Moreover all parameters multiplying inputs must be negative. Now if we choose as numeraire  $\ln y_1$  we can calculate  $-\ln y_1$  through:

$$-\ln(y_1) = \alpha_0 + \alpha_1 \ln\left(\frac{y_2}{y_1}\right) + \frac{1}{2}\alpha_{11} \left[\ln\left(\frac{y_2}{y_1}\right)\right]^2 + \beta_1 \ln x_1 + \beta_2 \ln x_2 + \frac{1}{2}\beta_{11} [\ln x_1]^2 + \frac{1}{2}\beta_{22} [\ln x_2]^2 + \beta_{12} \ln x_1 \ln x_2 - \ln D + v$$

$$(4)$$

Where the value of  $\alpha_0$  must be imposed with the restriction that  $-\ln y_1 - \alpha_0 < 0$ , in order to avoid negative production values. Note that in the expression above  $\alpha_{11} = 0.5$  in order to fulfil the curvature condition on outputs. Finally, once  $-\ln y_1$  is calculated it is straightforward to compute  $\ln y_1$  and  $\ln y_2$  and data generation process will be concluded<sup>4</sup>.

Evolving from this well-behaved production function we can extract the required number of samples to perform Monte-Carlo experimentation in a multi-input multi-output setting. The proposed methodology can be straightforward generalized to more dimensions. For example, in the case of three outputs it will be necessary to exogenously generate two ratios of outputs, say  $\ln(y_2/y_1)$  and  $\ln(y_3/y_1)$ , analogously to the two-input two-output case discussed here, that will impose the range of output parameters values, and so on.

#### Conclusions and further research

In the field of frontier analysis, several studies compared the performances of non-parametric and parametric approaches appealing to Monte-Carlo experiments but always used a single output and most of them Cobb-Douglas technology for data generation. The main explanation why authors did not considered more flexible technologies, *e.g. translog*, and multi-output multi-input distance functions must be found among the difficulties encountered to generate data satisfying regularity conditions, like monoticity and convexity. In a recent paper, O'Donnell and Coelli (2005) addressed these regularity issues and proposed a Bayesian approach to be used in empirical estimations. The aim of this paper is close related with them.

\_

<sup>&</sup>lt;sup>4</sup> Although it is not common in the Monte-Carlo literature on production frontiers, an immediate extension of this analysis for T time periods is possible adding up to equation (4) a time trend.

We show how parametric output distance functions allow the generation of random data on production process characterized by multi-output multi-input dimensions. Moreover we derive the necessary conditions under which second order *translog* technologies fulfil regularity conditions. We think that this set of rules provides a valid tool to improve the conclusions of methodological studies performing Monte-Carlo experiments in the field of frontier analysis.

Furthermore, we show how a valid range of output ratios and parameters can be derived that satisfies the regularity conditions. These values will be useful for practitioners as a *rule of thumb* in empirical studies dealing with the estimation of parametric output distance functions technologies. More research is still necessary in order to measure the potential bias introduced in Monte-Carlo experimentation based exclusively on single output data.

#### References

- Aigner, D. J. Lovell, C. A. K. and Schmidt, P. (1977). Formulation and estimation of stochastic production function models, *Journal of Econometrics*, 6, 21-37.
- Banker, R., Charnes, A., Cooper, W. and Maindiratta, A. (1987), A comparison of data envelopment analysis and translog estimates of production frontiers using simulated observations from a known technology. In Applications in Modern Production Theory Inefficiency and Productivity. (A. Dogramaci and R. Fare, Eds.), 33-55. Kluwer Academic Publishers, Boston.
- Banker, R., Gadh, V. and Gorr, W. (1993). A Monte Carlo comparison of two production frontier estimation methods: corrected ordinary least squares and data envelopment analysis, *European Journal of Operational Research*, 67, 332-343.
- Battese, G.E. and Corra, G.S. (1977). Estimation of a Production Frontier Model: With Application to the Pastoral Zone of Eastern Australia, *Australian Journal of Agricultural Economics*, 21, 169-179.
- Bowlin, W., Charnes, A., Cooper, W. and Sherman, H. (1985). Data envelopment analysis and regression approaches to efficiency estimation and evaluation. *Annals of Operational Research*, 2, 113-138.
- Coelli, T. and Perelman, S. (1999). Technical efficiency of European railways: a distance function approach. *Applied Economics*, 32, 1967-1976.
- Färe, R. and Primont, D. (1995). Multi-output production and duality: theory and applications. Kluwer Academic Publishers, Boston.
- Gong, B. H., and Sickles, R. (1992), Finite sample evidence on the performance of stochastic frontiers and data envelopment analysis using panel data, *Journal of Econometrics* 51, 259-284.

- Holland, D. S. and Lee, S. T. (2002), Impacts of random noise and specification on estimates of capacith derived from data envelopment analysis, *European Journal of Operational Research*, 137, 10-21.
- Lau, L. J. (1978), Testing and imposing monotonicity, convexity and quasi-convexity constraints. In Fuss, M., McFadden, D. (Eds.), Production Economics: a dual approach to theory and applications. Amsterdam, North Holland.
- Lovell, C. A. K., Richardson, S., Travers, P. and Wood, L. L. (1994). Resources and functionings: a new view of inequality in Australia, in Models and Measurement of Welfare and Inequality (Ed.) W. Eichhorn, Springer-Verlag, Berlin, 787-807.
- Mas-Colell, A., Whinston, M., and Green, J. (1995), Microeconomic Theory, Oxford University Press.
- Meeusen, W. and van den Broeck, J. (1977). Efficiency Estimation from Cobb-Douglas Production Functions with composed error, *International Economic Review*, 18, pp. 435-444.
- O'Donnell, C. J. and Coelli, T. J. (2005), A Bayesian approach to imposing curvature on distance functions, *Journal of Econometrics*, 126, 493-523.
- Pedraja-Chaparro, F., Salinas-Jimenez, J. y Smith, P. (1997). On the role of weight restrictions in Data Envelopment Analysis, *Journal of Productivity Analysis*, 8, 215-230.
- Ruggiero, J. (1998). Non-discretionary inputs in data envelopment analysis, *European Journal of Operational Research*, 111, 461-469.
- Shepard, R. W. (1970), Theory of Cost and Production Functions, Princeton University Press, Princeton, NY.
- Steinmann, L. and Simar, L. (2003), On the comparability of efficiency scores in nonparametric frontier models, Discussion Paper 0318, Institut de Statistique, Université Catholique de Louvain.

- Thanassoulis, E. (1993), A comparison of regression analysis and data envelopment analysis as alternative methods for assessing performance, Journal of Operational Research Society, 44, 1129-1145.
- Yu, C. (1998), The effects of exogenous variables in efficiency measurement. A Monte Carlo study, European Journal of Operational Research, 105, 569-580.
- Zhang, X. (1999), A Monte Carlo study on the finite sample properties of the Gibbs sampling method for a stochastic frontier model, Journal of Productivity Analysis, 14, 71-83.
- Zhang, Y., Bartels, R., (1998). The effect of sample size on the mean efficiency in DEA with an application to electricity distribution in Australia, Sweden and New Zealand, Journal of Productivity Analysis, 9, 187-204.

## FUNDACIÓN DE LAS CAJAS DE AHORROS

### **DOCUMENTOS DE TRABAJO**

## Últimos números publicados

159/2000	Participación privada en la construcción y explotación de carreteras de peaje Ginés de Rus, Manuel Romero y Lourdes Trujillo
160/2000	Errores y posibles soluciones en la aplicación del <i>Value at Risk</i> Mariano González Sánchez
161/2000	Tax neutrality on saving assets. The spahish case before and after the tax reform Cristina Ruza y de Paz-Curbera
162/2000	Private rates of return to human capital in Spain: new evidence F. Barceinas, J. Oliver-Alonso, J.L. Raymond y J.L. Roig-Sabaté
163/2000	El control interno del riesgo. Una propuesta de sistema de límites riesgo neutral Mariano González Sánchez
164/2001	La evolución de las políticas de gasto de las Administraciones Públicas en los años 90 Alfonso Utrilla de la Hoz y Carmen Pérez Esparrells
165/2001	Bank cost efficiency and output specification Emili Tortosa-Ausina
166/2001	Recent trends in Spanish income distribution: A robust picture of falling income inequality Josep Oliver-Alonso, Xavier Ramos y José Luis Raymond-Bara
167/2001	Efectos redistributivos y sobre el bienestar social del tratamiento de las cargas familiares en el nuevo IRPF Nuria Badenes Plá, Julio López Laborda, Jorge Onrubia Fernández
168/2001	The Effects of Bank Debt on Financial Structure of Small and Medium Firms in some European Countries Mónica Melle-Hernández
169/2001	La política de cohesión de la UE ampliada: la perspectiva de España Ismael Sanz Labrador
170/2002	Riesgo de liquidez de Mercado Mariano González Sánchez
171/2002	Los costes de administración para el afiliado en los sistemas de pensiones basados en cuentas de capitalización individual: medida y comparación internacional.  José Enrique Devesa Carpio, Rosa Rodríguez Barrera, Carlos Vidal Meliá
172/2002	La encuesta continua de presupuestos familiares (1985-1996): descripción, representatividad y propuestas de metodología para la explotación de la información de los ingresos y el gasto. Llorenc Pou, Joaquín Alegre
173/2002	Modelos paramétricos y no paramétricos en problemas de concesión de tarjetas de credito. Rosa Puertas, María Bonilla, Ignacio Olmeda

174/2002	Mercado único, comercio intra-industrial y costes de ajuste en las manufacturas españolas. José Vicente Blanes Cristóbal
175/2003	La Administración tributaria en España. Un análisis de la gestión a través de los ingresos y de los gastos. Juan de Dios Jiménez Aguilera, Pedro Enrique Barrilao González
176/2003	The Falling Share of Cash Payments in Spain. Santiago Carbó Valverde, Rafael López del Paso, David B. Humphrey Publicado en "Moneda y Crédito" nº 217, pags. 167-189.
177/2003	Effects of ATMs and Electronic Payments on Banking Costs: The Spanish Case. Santiago Carbó Valverde, Rafael López del Paso, David B. Humphrey
178/2003	Factors explaining the interest margin in the banking sectors of the European Union. Joaquín Maudos y Juan Fernández Guevara
179/2003	Los planes de stock options para directivos y consejeros y su valoración por el mercado de valores en España. Mónica Melle Hernández
180/2003	Ownership and Performance in Europe and US Banking – A comparison of Commercial, Cooperative & Savings Banks. Yener Altunbas, Santiago Carbó y Phil Molyneux
181/2003	The Euro effect on the integration of the European stock markets. Mónica Melle Hernández
182/2004	In search of complementarity in the innovation strategy: international R&D and external knowledge acquisition. Bruno Cassiman, Reinhilde Veugelers
183/2004	Fijación de precios en el sector público: una aplicación para el servicio municipal de suministro de agua.  Mª Ángeles García Valiñas
184/2004	Estimación de la economía sumergida es España: un modelo estructural de variables latentes. Ángel Alañón Pardo, Miguel Gómez de Antonio
185/2004	Causas políticas y consecuencias sociales de la corrupción. Joan Oriol Prats Cabrera
186/2004	Loan bankers' decisions and sensitivity to the audit report using the belief revision model. Andrés Guiral Contreras and José A. Gonzalo Angulo
187/2004	El modelo de Black, Derman y Toy en la práctica. Aplicación al mercado español. Marta Tolentino García-Abadillo y Antonio Díaz Pérez
188/2004	Does market competition make banks perform well?. Mónica Melle
189/2004	Efficiency differences among banks: external, technical, internal, and managerial Santiago Carbó Valverde, David B. Humphrey y Rafael López del Paso

190/2004	Una aproximación al análisis de los costes de la esquizofrenia en españa: los modelos jerárquicos bayesianos F. J. Vázquez-Polo, M. A. Negrín, J. M. Cavasés, E. Sánchez y grupo RIRAG
191/2004	Environmental proactivity and business performance: an empirical analysis Javier González-Benito y Óscar González-Benito
192/2004	Economic risk to beneficiaries in notional defined contribution accounts (NDCs) Carlos Vidal-Meliá, Inmaculada Domínguez-Fabian y José Enrique Devesa-Carpio
193/2004	Sources of efficiency gains in port reform: non parametric malmquist decomposition tfp in- dex for Mexico Antonio Estache, Beatriz Tovar de la Fé y Lourdes Trujillo
194/2004	Persistencia de resultados en los fondos de inversión españoles Alfredo Ciriaco Fernández y Rafael Santamaría Aquilué
195/2005	El modelo de revisión de creencias como aproximación psicológica a la formación del juicio del auditor sobre la gestión continuada Andrés Guiral Contreras y Francisco Esteso Sánchez
196/2005	La nueva financiación sanitaria en España: descentralización y prospectiva David Cantarero Prieto
197/2005	A cointegration analysis of the Long-Run supply response of Spanish agriculture to the common agricultural policy José A. Mendez, Ricardo Mora y Carlos San Juan
198/2005	¿Refleja la estructura temporal de los tipos de interés del mercado español preferencia por la li- quidez? Magdalena Massot Perelló y Juan M. Nave
199/2005	Análisis de impacto de los Fondos Estructurales Europeos recibidos por una economía regional: Un enfoque a través de Matrices de Contabilidad Social M. Carmen Lima y M. Alejandro Cardenete
200/2005	Does the development of non-cash payments affect monetary policy transmission? Santiago Carbó Valverde y Rafael López del Paso
201/2005	Firm and time varying technical and allocative efficiency: an application for port cargo handling firms Ana Rodríguez-Álvarez, Beatriz Tovar de la Fe y Lourdes Trujillo
202/2005	Contractual complexity in strategic alliances Jeffrey J. Reuer y Africa Ariño
203/2005	Factores determinantes de la evolución del empleo en las empresas adquiridas por opa Nuria Alcalde Fradejas y Inés Pérez-Soba Aguilar
204/2005	Nonlinear Forecasting in Economics: a comparison between Comprehension Approach versus Learning Approach. An Application to Spanish Time Series Elena Olmedo, Juan M. Valderas, Ricardo Gimeno and Lorenzo Escot

205/2005	Precio de la tierra con presión urbana: un modelo para España Esther Decimavilla, Carlos San Juan y Stefan Sperlich
206/2005	Interregional migration in Spain: a semiparametric analysis Adolfo Maza y José Villaverde
207/2005	Productivity growth in European banking Carmen Murillo-Melchor, José Manuel Pastor y Emili Tortosa-Ausina
208/2005	Explaining Bank Cost Efficiency in Europe: Environmental and Productivity Influences. Santiago Carbó Valverde, David B. Humphrey y Rafael López del Paso
209/2005	La elasticidad de sustitución intertemporal con preferencias no separables intratemporalmente: los casos de Alemania, España y Francia. Elena Márquez de la Cruz, Ana R. Martínez Cañete y Inés Pérez-Soba Aguilar
210/2005	Contribución de los efectos tamaño, book-to-market y momentum a la valoración de activos: el caso español. Begoña Font-Belaire y Alfredo Juan Grau-Grau
211/2005	Permanent income, convergence and inequality among countries José M. Pastor and Lorenzo Serrano
212/2005	The Latin Model of Welfare: Do 'Insertion Contracts' Reduce Long-Term Dependence? Luis Ayala and Magdalena Rodríguez
213/2005	The effect of geographic expansion on the productivity of Spanish savings banks Manuel Illueca, José M. Pastor and Emili Tortosa-Ausina
214/2005	Dynamic network interconnection under consumer switching costs Ángel Luis López Rodríguez
215/2005	La influencia del entorno socioeconómico en la realización de estudios universitarios: una aproximación al caso español en la década de los noventa Marta Rahona López
216/2005	The valuation of spanish ipos: efficiency analysis Susana Álvarez Otero
217/2005	On the generation of a regular multi-input multi-output technology using parametric output distance functions Sergio Perelman and Daniel Santin